E-mail: Dylan@tec-rubber.com







#### **Colorful Rubber Reins**

Liangju Rubber is a ISO certified manufacturer of color full rubber reins for bridle. All the Colorful Rubber Reins are made from quality colorful rubber with fabric inside to enhance strength. We provide custom molded rubber reins come in a variety of materials, widths, and thicknesses to suit your preference.

### 1. Product Introduction of the Rubber Reins

The rubber rein is the perfect rein for wet weather, sweaty horses or just when the rider needs an extra grip. Often used for Eventing and Jumping these English reins get their gripping power from the pebbled rubber section where the rider's hands hold the reins. Liangju Rubber is a ISO certified manufacturer of color full rubber reins for bridle. All the rubber reins is made from quality colorful rubber with fabric inside to enhance strength. We provide custom molded rubber reins come in a variety of materials, widths, and thicknesses to suit your preference.

Feature of Colorful Rubber Reins:

All rubber reins are using soft rubber with fabric inside to ensure the strength Customized LOGO on the reins are available

There are small or large pimples on the surface to help the riders to hold the bridle easily





# 2. Product Parameter (Specification)

Product Name:	Rubber Reins
Material:	NBR, HNBR, EPDM, SILICONE, VITON, FLS, FFPM, PTFE
Size:	Any size, Customized/standard and nonstandard
Color:	Any Color
Packing:	plastic bag&carton box or according to your requirements
Sample time:	20-25days
Application:	Horse
Warranty:	2years

# 3. our service.

- 1. Inquiry about our products can be replied within 12 hours.
- 2. Professional & experienced staff help you solve problems of silicone and rubber products.

Xiamen Liangju Rubber Technology Co., Ltd.




- 3. Accept customized shape, material, hardness, temperature, size, color, logo and packing.
- 4. Mode of production: Compression or injection or extrusion.
- 5.We have a comprehensive range of in-house manufacturing facilities, allowing us to provide fast and effective manufacturing.

# 4. Quality Control and Certifications

We serve our customers with high quality Customized Shape Rubber Gaskets by strictly follow ISO 9001:2015 and IATF 16949.



QC Flow



Dimensional Inspection



Incoming QC



In-process QC



In-process QC



In-process QC



FQC

E-mail: Dylan@tec-rubber.com

# 5. Packing, Payment and Shipping

Our packing for all the Customized Shape Rubber Gaskets, strong enough to ensure its safety throughout the whole delivery no mater domestic or oversea shipping. Customized Packing/LOGO/Labeling are Available.










ISO 9001: 2015

IATF 16949: 2016



# 6. FAQ

### 1. Do you supply material?

Yes, we have our own mixing rubber factory and can supply you with Synthetic Rubbers to fit your applications.

### 2. If OEM is acceptable?

Yes, Samples are Free of charge

#### 3. What Is EPDM Rubber?

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151

E-mail: Dylan@tec-rubber.com



EPDM is a synthetic rubber polymer and is made from ethylene and propylene monomers. This rubber was developed in the early 1960's and used to produce variety of products like radiator and steam hoses, freezer gaskets, tires, roofing membranes and aircraft seals to name only a few.

#### 4. Why is rubber used to produce industrial products?

Rubber has certain unique properties which makes it suitable to produce rubber products which are widely used in various industrial applications. Rubber is water repellent. It is resistant to alkalies and weak acids. Rubber has elasticity, toughness, impermeability, adhesiveness, and electrical resistance. These properties make rubber useful as an adhesive, a coating composition, a fiber, a molding compound, as well as an electrical insulator.

#### 5. Which type of rubber is best for my application?

There are a range of natural and synthetic rubbers with different properties, making some more suitable than others for particular applications—the key of course is choosing the most appropriate one! For specific requirements, please ask our rubber products specialists for guidance.